Test Paper : II	Test Booklet Serial No. :
Test Subject : LIFE SCIENCES	OMR Sheet No. :
	Hall Ticket No.
Test Subject Code : A-09-02	
	(Figures as per admission card)
Name & Gignature of Invigilator	
Name & Signature of Invigilator	
Name :	Signature :
Name :	
Paper :	II
Subject :	LIFE SCIENCES
Time : 1 Hour 15 Minutes	Maximum Marks : 100
Number of Pages in this Booklet : 16	Number of Questions in this Booklet : 50
Instructions for the Candidates	అభ్యర్థులకు సూచనలు
1. Write your Hall Ticket Number in the space provided on the top	1. ఈ పుట పై భాగంలో ఇవ్వబడిన స్థలంలో మీ హాల్ టికెట్ నంబరు రాయండి.
of this page. 2. This paper consists of fifty multiple-choice type of questions.	2. ఈ ప్రశ్న పత్రము యాభై బహుళైచ్చిక ప్రశ్నలను కలిగి ఉంది.
3. At the commencement of examination, the question booklet will	3. పరీక్ష ప్రారంభమున ఈ ప్రశ్నాపత్రము మీకు ఇవ్వబడుతుంది. మొదటి ఐదు నిమిషముంలో ఈ ప్రశ్నాపత్రమును తెరిచి కింద తెలిపిన అంశాలను తప్పనిసరిగా
be given to you. In the first 5 minutes, you are requested to open	నమ్మమితల ఈ జాగ్నవత్రమును తరచి కరద తరవన తరశాలను తప్పననరగా సరిచూసుకోండి.
the booklet and compulsorily examine it as below :	(i) ఈ ప్రశ్న పత్రమును చూడడానికి కవర్ేపిజి అంచున ఉన్న కాగితపు సీలును
(i) To have access to the Question Booklet, tear off the paper	చించండి. స్టిక్కర్ సీలులేని మరియు ఇదివరకే తెరిచి ఉన్న ప్రశాన్లపత్రమును
seal on the edge of this cover page. Do not accept a booklet	మీరు అంగీకరించవద్ద.
without sticker-seal and do not accept an open booklet. (ii) Tally the number of pages and number of questions in	(ii) కవరు పేజి పై ముదించిన సమాచారం ప్రకారం ఈ ప్రశ్నపత్రములోని పేజీల
the booklet with the information printed on the cover	సంఖ్యను మరియు ప్రశ్నల సంఖ్యను సరిచూసుకోండి. పేజీల సంఖ్యకు
page. Faulty booklets due to pages/questions missing	సంబంధించి గానీ లేదా సూచించిన సంఖ్యలో ప్రశ్నలు లేకపోవుట లేదా నిజర్ధతి వారికోటు నేదా రాజు కార్యక నిర్ణీకే కోర్టు నేదా రాజు నేదా రాజు నుం
or duplicate or not in serial order or any other	కాకపోవుట లేదా ప్రశ్నలు క్రముపద్ధతిలో లేకపోవుట్ లేదా ఏపైనా తేడాలుండుట వంటి దోషపూరితమైన ప్రశ్న పత్రాన్ని వెంటనే మొదటి ఐదు నిమిషాల్తో పరీక్షా
discrepancy should be got replaced immediately by a	పర్మవేక్షకునికి తిరిగి ఇచ్చివేసి దానికి బదులుగా సరిగా ఉన్న ప్రస్తుపుతాన్ని తీసుకోండి.
correct booklet from the invigilator within the period of 5 minutes. Afterwards, neither the Question Booklet	తదనంతరం ప్రశ్నపత్రము మార్చబడదు అదనపు సమయం ఇప్పబడదు.
will be replaced nor any extra time will be given.	(iii) పై విధంగా సరిచూసుకొన్న తర్వాత ప్రశ్నాపత్రం సంఖ్యను OMR పత్రము పై
(iii) After this verification is over, the Test Booklet Number	అదేవిధంగా OMR పత్రము సంఖ్యను ఈ ప్రశ్నావత్రము పై నిర్దిష్టన్ధలంలో రాయవలేను.
should be entered in the OMR Sheet and the OMR Sheet	4. ప్రతి ప్రశ్నకు నాలుగు ప్రత్యామ్నాయ ప్రతిస్పందనలు (A), (B), (C) మరియు (D)
Number should be entered on this Test Booklet.	లుగా ఇవ్వబడ్డాయి. ప్రతిప్రశ్నకు సరైన ప్రతిస్పందనను ఎన్నుకొని కింద తెలిపిన విధంగా
 Each item has four alternative responses marked (A), (B), (C) and (D). You have to darken the circle as indicated below on the 	OMR పత్రములో (పతి సశాని సంఖ్యకు ఇవ్వబడిన నాలుగు వృత్తాలో సరైన (పతిప్పందనను సూచించే వృత్తాని బాల్ పాయింట్ పెన్తో కింద తెరిపిన విధంగా
correct response against each item.	బారించాలి.
Example: (A) (B) (D)	ఉదాహరణ : (A) (B) 🛑 (D)
where (C) is the correct response.	(C) సరైవ ప్రతిస్పందన అయితే
5. Your responses to the items are to be indicated in the OMR Sheet	5. ప్రశ్నలకు ప్రతిస్పందనలను ఈ ప్రశ్నపత్రముతో ఇవ్వబడిన OMR పత్రము పైన
given to you. If you mark at any place other than in the circle in	ఇవ్యబడిన వృత్తాల్లోనే పూరించి గుర్తించాలి. అలాకాక సమాధాన పత్రంపై పేరొక చోట
the Answer Sheet, it will not be evaluated.	గుర్తిస్తే మీ ప్రతిస్పందన మూల్యాంకనం చేయబడదు.
6. Read instructions given inside carefully.	6. ప్రశ్న పత్రము లోపల ఇచ్చిన సూచనలను జాగ్రత్తగా చదవండి.
 Rough Work is to be done in the end of this booklet. If you write your name or put any mark on any part of the OMR 	 చిత్తుపనిని ప్రశ్నపత్రము చివర ఇచ్చిన ఖాళీస్థలములో చేయాలి. OMR పత్రము పై నిర్ణీత స్థలంలో సూచించవలసిన వివరాలు తప్పించి ఇతర స్థలంలో
Answer Sheet, except for the space allotted for the relevant	6. OMIN ప్రతిము పై నర్జిత స్థిలింలో నూచించులనన వెవరాలు ఆప్పరిచే ఇతర స్థిలింలో మీ గుర్తింపును తెలిపే విధంగా మీ పేరు రాయడం గానీ లేదా ఇతర చిహ్చాలను పెట్టడం
entries, which may disclose your identity, you will render yourself	గానీ చేసినట్లయితే మీ అనర్హతకు మీరే బాధ్యలపుతారు.
liable to disqualification.	9. పరీక్ష పూర్తయిన తర్వాత మీ ప్రశ్నపత్రాన్ని మరియు OMR పత్రాన్ని తప్పనిసరిగా
You have to return the test question booklet and OMR Answer Sheet to the invigilators at the end of the examination compulsorily	పరీక్షపర్యవేక్షకుడికి ఇవ్వాలి. వాటిని పరీక్ష గది బయటకు తీసుకుపెళ్లకూడదు.
and must not carry it with you outside the Examination Hall.	10. నీలి/నల్ల రంగు బాల్ పాయింట్ పెన్ మాత్రమే ఉపయోగించాలి.
10. Use only Blue/Black Ball point pen.	11. లాగరిథమ్ బేబుల్స్, క్యాలిక్యులేటర్లు, ఎల్రక్టానిక్ పరికరాలు మొదలగునవి పరీక్షగదిలో
11. Use of any calculator or log table etc., is prohibited.	ఉపయోగించడం నిషేధం. 12 - కము మాహారాజను మారు జ కింపు జేరు
12. There is no negative marks for incorrect answers.	12. తప్పు సమాధానాలకు మార్కుల తగ్గింపు లేదు.
	1 A-09-02

LIFE SCIENCES

Paper – II

3

- Eukaryotic mRNA can be separated from the total RNA by
 - (A) Size Exclusion chromatography
 - (B) Ion-Exchange chromatography
 - (C) Affinity chromatography
 - (D) Partition chromatography
- 2. Which of the following involves the combining of two cells without cell walls from different plants ?
 - (A) Clonal propagation
 - (B) Hybridization
 - (C) Protoplast fusion
 - (D) Mutant selection
- Non-polar amino acid residues are found mostly
 - (A) In the core of proteins
 - (B) On the surface of proteins
 - (C) On alpha helix
 - (D) In no specific region

- **4.** Which of the following organellae does not carry out transcription ?
 - (A) Nucleus
 - (B) Peroxisome
 - (C) Chloroplast
 - (D) Mitochondrian
- 5. Given below are two statements

Assertion (A): Hexokinase and

Glucokinase have low

and high k_m towards

glucose respectively.

- Reason (R) : Glucokinase operates under high glucose concentratian only.
- Which of these statements are correct?
- (A) A is correct but R is wrong
- (B) R is correct but A is wrong
- (C) Both A and R are correct
- (D) Both A and R are wrong

A-09-02

6.	Given below are two statements. One	8	8. Ma	tch t	he fo	ollow	ving		
	labelled as Assertion (A) and the other	I. Nuclear Magnetic Resonance 1. Microwaves							Microwaves
	labelled as Reason (R)	II. Electron Spin Resonance 2. Radioway							Radiowaves
		III. Raman spectroscopy 3. UV/Visible I							UV/Visible light
	Assertion (A): Protooncogenes are	IV. Spectrophotometry 4. Infrared wav							Infrared waves
	found in most of the				Ι	II	III	IV	
	animal cells.		(A)	4	3	2	1	
	Reason (R) : They are related to viral		(B)	1	2	4	3	
	oncogenes.		(C)	2	1	4	3	
	In the context of these statements which		(D)	2	3	4	1	
	one of the following is correct ?	9	9. M	atch	the	follo	wing		
	(A) A is correct but R is wrong	I. Bt cotton 1. Im						nprov	ved shelf life
	(B) Both A and R are correct			Savr	Toma	mproved nutritional quality			
	(C) A is wrong but R is correct			III. Roundup Ready 3. Pest resistance					
	(D) Both A and R are wrong			um					
		IV. Golden Yellow Rice					4. H	erbic	ide tolerance
7.	Given below are two statements				Ι	II	III	IV	
	Assertion (A): All eukaryotic mRNAs are		(A)	4	2	1	3	
	capped at 5' end		(B)	3	1	4	2	
			(C)	4	2	3	1	
	Reason (R) : 5' cap is not essential for efficient mRNA translation		(D)	3	2	1	4	
		1(0. Vir	uses	that	per	sist in	the	e cell and cause
Which of these statements are correct ?			recurrent disease are called						
	(A) A is correct, R is wrong	(A) Oncogenic viruses							
	(B) Both A and R are correct		(B) La	tent	virus	ses		
	(C) A is wrong R is correct		(C) Cy	/topa	athic	virus	es	
	(D) Both A and R are wrong	(D) Resistant viruses							

- **11. Assertion (A)** : Indirect somatic embryogenesis, embryos are developed without going through callus formation.
 - Reason (R) : This is possible due to the presence of pree m b r y o n i c a l l y determined cells.
 - (A) Both A and R are true but R is not correct reason for A
 - (B) A is false but R is true
 - (C) A is true but R is false
 - (D) Both A and R are true and R is the correct reason for A
- **12.** In complement cascade the complement
 - 1 activate as follows
 - I. C1q
 - ll. C1r
 - III. C1s
 - IV. C1d
 - (A) I, II, III, IV
 - (B) II, III, IV, I
 - (C) III, IV, II, I
 - (D) IV, III, II, I

13. Match the following

- I. Pyridoxal phosphate
 II. Niacin
 II. Niacin
 II. Vitamin B₁
- III. Thiamin pyrophosphate 3. Vitamin B
- IV. Flavin nucleotides 4. Vitamin B

	Ι	II	III	IV
(A)	1	2	3	4
(B)	2	4	1	3
(C)	4	3	2	1
(D)	3	4	1	2

- 14. The protein structure is stabilized by
 - I. Hydrogen bonds
 - II. Disulphide bonds
 - III. Glycolidic bonds
 - IV. Hydrophobic interactions
 - (A) I and II are correct
 - (B) II, III and IV are correct
 - (C) I and IV are correct

- (D) I, II and IV are correct
- 15. Two dimensional electrophoresis involves
 - (A) SDS-PAGE in 1st dimension and IEF in 2nd dimension
 - (B) IEF in 1st dimension and SDS-PAGE in 2nd dimension
 - (C) IEF in 1st dimension and PFGE in 2nd dimension
 - (D) IEF in 1st dimension and TLC in
 2nd dimension

- **16.** Electron Transport chain contains the following components :
 - I. Cytochrome C-oxidase
 - II. Succinate/COQ oxidoreductase
 - III. NADH : COQ oxidoreductase
 - IV. Coenzyme Q : cytochrome oxidoreductase

Choose correct one of following sequences

- (A) III, II, IV, I
- (B) II, III, IV, I
- (C) I, IV, III, II
- (D) IV, III, II, I
- **17.** The correct order of chromatin organization from the following is
 - I. Nucleosome
 - II. Solenoid
 - III. Double stranded DNA
 - IV. Chromosome

Choose the correct sequence

- (A) I, IV, II, III
- (B) III, I, II, IV
- (C) I, II, III, IV
- (D) III, IV, I, II

- Give the correct sequence of following steps used in Southern hybridization
 - 1. Blotting membrane
 - 2. Restriction digestion
 - 3. Detection
 - 4. Separation by electrophoresis

Choose the correct one

- (A) 4, 1, 2, 3
- (B) 2, 4, 1, 3
- (C) 4, 2, 1, 3
- (D) 2, 1, 4, 3
- 19. According to ICBN Rules the suffix of family name ends with "aceae", whereas prefix refers to
 (A) Specific epithet
 (B) Characteristic feature of the family
 - (C) Generic epithet

6

(D) Specific character of basic species

- **20.** Pick up the correct combination of the following using valid name and part used
 - (A) Millets-Sorghum vulgare Poaceaecaryopsis

Pulses-Cajanus cajan-Fabaceae-Cotyledons

Fibers-Gossypiumherbaceum-Malvaceae-Epidermal hairs of seed

Fruit-Mangifera indica-Anacardiaceae-Epicarp and Mesocarp of drupe

 (B) Millets-Sorghum vulgare - Poaceae-Caryopsis

Pulses-Cajanus cajanus-Fabaceae-Cotyledons

Fibers-Gossypium herbaceum-Malvaceae-Epidermal hairs of seed

Fruit-Mangifera indica-Anacardiaceae-Epicarp and Mesocarp of drupe

(C) Millets-Sorghum vulgare - Poaceae-Caryopsis

Pulses-Cajanus cajan-Fabaceae-Cotyledons

Fibers-Gossypiumherbaceum-Malvaceae-Epidermal hairs of fruit Fruit-Mangifera indica-Anacardiaceae-Epicarp and Mesocarp of drupe

(D) Millets – Sorghum vulgare - Poaceae-Caryopsis

Pulses-Cajanus cajan-Fabaceae-Cotyledons

Fibers-Gossypiumherbaceum-Malvaceae-Epidermal hairs of seed

Fruit-Mangifera indica-Anacardiaceae-Mesocarp and endocarp of drupe

- **21. Assertion (A) :** Apospory is not uncommon in some ferns like <u>Pteris</u>
 - Reason (R) : In ferns some times the prothallus is formed from vegetative parts of sporophytic plant
 - (A) Both A and R are true, R is the correct explanation of A
 - (B) Both A and R are true, but R is not the correct explanation of A
 - (C) Both A and R are not true
 - (D) A is true, but R is false
- 22. This biosphere reserve is recently notified

by the Government of India

- (A) Valley of Flowers
- (B) Nanda Devi
- (C) Nallamalais
- (D) Seshachalam
- 23. Epiphytes are rare in Delhi because it has
 - (A) Moist climate
 - (B) Semi-arid climate
 - (C) Large amount of factories
 - (D) Large number of automobiles

- 24. Arrange the following in progressive manner with special reference to ecological succession in xerosere
 - I. Funaria
 - II. Rhizocarpon
 - III. Poa
 - IV. Trees
 - (A) I, II, III, IV
 - (B) II, I, IV, III
 - (C) II, I, III, IV
 - (D) I, III, II, IV

25. Match the following :

1.	Aquatic ha	abitats		١.	Sciophytes	
2.	Communit	y in abu	light	II.	Xerophytes	
3.	Communi	ty in sh	III.	Heliophytes		
4.	Communit	y in dry	IV.	Mesophytes		
					V.	Hydrophytes
		1	2	3	4	
	(A)	V	III	Ι	II	
	(B)	V	IV	I	II	
	(C)	V	III	II	I	
	(D)	V	II	Ι		

- **26.** Pick up the sources of air pollution from the following :
 - I. Volcanic eruptions
 - II. Dust storms
 - III. Domestic sewage
 - IV. Pulp mills
 - V. CFMs
 - (A) I, II and III
 - (B) I, II, III and V
 - (C) II, IV and V
 - (D) I, II and V
- **27.** Which of the following has more redox potential (E_0) value ?
 - (A) Flavo proteins
 - (B) Cytochrome B
 - (C) Nicotinamide adenine dinucleotide
 - (D) Ubiquinone
- **28.** Respiratory quotient (R.Q) value of a simple sugar is
 - (A) Zero

- (B) More than one
- (C) Less than one
- (D) Equal to one

- 29. Given below are two statements, one labeled as Assertion (A), and the other labeled as Reason (R)
 - Assertion (A): The pronounced decrease in quantum yield at red zone (greater than 680 nm) is termed as red drop. It is also known as Emerson's effect.
 - Reason (R) : Discovery of Emerson's effect has clearly shown the existence of two photosystems.

In the context of the above two statements which one of the following is correct ?

Codes :

- (A) A is correct but R is wrong
- (B) A is wrong but R is correct
- (C) A is correct, R is also correct
- (D) A is wrong, R is also wrong
- **30.** Arrange the following compounds in order in which they appear in Krebs cycle. Use the code given below.
 - I. Succinic acid
 - II. Fumaric acid
 - III. Oxaloacetic acid
 - IV. Malic acid

Code :

(A) III, IV, II, I	(B) I, II, IV, III
(C) II, III, I, IV	(D) I, III, II, IV

- 31. Which one of the following combination or chromosome number (N) and DNA content (C) is true of the diplotene stage of mammalian oocytes ?
 - (A) 1N & 2C (B) 2N & 4C
 - (C) 2N & 2C (D) 1N & 4C
- **32. Assertion (A) :** As polyspermy is being slowly blocked, the cortical granules explode and release their contents into the perivitelline space.
 - Reason (R) : Quick blocking of polyspermy sets in depolarization of the egg plasmalemma and mobilization of Ca²⁺ from stores with in the egg.
 - (A) Both A and R are true and R is the correct explanation of A
 - (B) Both A and R are true but R is not the correct explanation of A
 - (C) A is true but R is false
 - (D) Both A and R are false

33. During early human brain development primary vesicles listed in List I gives rise to derivatives in List II

		L	₋ist∣		List II				
	I.	Tele	ence	phalo	1.	Mid brain			
	II.	Mes	sence	epha	lon	2.	Optic vesicle		
	III.	Dier	псер	halo	n	3.	Cerebellum		
	IV. Myelencephalon						Hippocampus		
Code :									
			I	II	III	IV			
	(A)	4	1	2	3			
	(В)	2	1	3	4			
	(C)	4	2	1	3			
	(D)	3	2	1	4			
34.	34. During neural tube formation in the chick								

- embryo the neural plate involves following events in sequences
 - (A) Shaping, convergence, folding, elevation, clockwise
 - (B) Convergence, elevation, folding, shaping, clockwise
 - (C) Shaping, folding, elevation, convergence, clockwise
 - (D) Convergence, shaping, elevation, folding, clockwise

- **35.** The order of evolutionary pattern of nitrogen excretion in animals is as follows
 - (A) Urea, Uric acid, Ammonia
 - (B) Ammonia, Uric acid, Urea
 - (C) Urea, Ammonia, Uric acid
 - (D) Ammonia, Urea, Uric acid
- **36.** Mammalian heterodonty is expressed by a dental formula. Match the dental formula to the organism

	List I			List II
I. $\frac{0}{3}$, 0, 3, 3 , 1, 3, 3	$\frac{3}{3} = 3$	2	1. Rabbit
II. <u>2</u>	, 0, 3, 3 0, 2, 3	$\frac{3}{3} = 2$	8	2. Man
III. <u>1,</u> 1,	0, 2, 3 0, 1, 3	-= 22	2	3. Sheep
IV. $\frac{2}{2}$, 1, 2, 3 , 1, 2, 3	- = 32	2	4. Squirrel
	Ι	II	III	IV
(A)	3	1	4	2
(B)	2	1	3	4
(C)	1	4	2	3
(D)	4	1	2	3

- **37. Assertion (A)**: Absorption of the products of carbohydrates and protein digestion are against a concentration gradient, whereas the absorption of the products of lipids are different.
 - Reason (R) : The end products of carbohydrates, proteins are absorbed into the epithelial cells of intestine is by active transport, whereas the products of lipids are by diffusion.

In the context of the above two statements which one of the following is correct

- (A) A is correct but R is wrong
- (B) Both A and R are correct
- (C) A is wrong but R is correct
- (D) Both A and R are wrong

- **38.** The Bohr effect represents an interaction between
 - (A) O₂ equilibrium and Electron dissociation of Hb
 - (B) O₂ equilibrium and Proton dissociation of Hb
 - (C) CO₂ equilibrium and Electron dissociation of Hb
 - (D) CO₂ equilibrium and Proton dissociation of Hb
- **39.** Which one of the following chromosome combinations is expected in an offspring obtained after selfing a plant having AA BB CC DD homologous pairs ?
 - I. AA
 - II. BB
 - III. CC
 - IV. DD

The correct sequence of the above is

- (A) I, III, II and IV
- (B) I, II, III and IV
- (C) I, IV, III and II
- (D) I, III, IV and II

40. Match the most commonly detected bloodgroup systems with probable number of their alleles

		ist ood		List II Alleles		
I.	ABo)			1	20 ⁺
II.	MN	Sc			2	5
III.	Р				3	30 ⁺
IV.	Rh				4	4
		Ι	Ш	III	IV	
(A)	2	1	4	3	
(B)	1	2	3	4	
(C)	4	3	2	1	
(D)	3	4	2	1	

- **41. Assertion (A) :** Gene is a biological entitya heritable function detected by observing the effect of a mutation. A gene consists of all the DNA sequences necessary to produce a single peptide or RNA product.
 - Reason (R) : The gene is single, contiguous protein encoding stretch of DNA.

In the context of the above two statements, which one of the following is correct ?

- (A) Both A and R are true and R is correct explanation of A
- (B) Both A and R are true but R is not the correct explanation of A
- (C) A is true but R is false
- (D) Both A and R are false

- **42.** Sex linked genes on the entire X-chromosome of <u>Drosophila</u> <u>melanogaster</u> mapped and found to have a length of
 - (A) 78 map units
 - (B) 68 map units
 - (C) 80 map units
 - (D) 82 map units
- **43.** What are the two theories that are combined in the synthetic theory of evolution ?
 - (A) Darwin's theory of natural selection and Lamarck's theory of use and disuse
 - (B) Mendel's theory of heredity and Heckel's theory of ontogeny repeats phylogeny
 - (C) Darwin's theory of natural selection and Mendel's theory of heredity
 - (D) Lamarck's theory of use and disuse and Heckel's theory of ontogeny repeats phylogeny

llo

44. Match the various types of isolating mechanisms that prevent gene exchange between population of related species of organisms

organismo				,,				
List I		List	t II	II. Cyanodonta				
I. Habitat Isolation	1. F	opulatior	ns are isolated by	III. Therapsida				
	d	ifferent a	nd incompatible	IV. Mammalia				
		ehaviour		(A) I, II, III and IV				
				(B) II, III, I and IV				
II. Seasonal Isolation	2. F	Restricted	by differences in	(C) I, III, II and IV				
	S	tructure	of reproductive	(D) II, I, III and IV				
	о	rgans						
III. Ethological Isolation	3 F	Populatio	ns live in same	46. Assertion (A): The finches beaks evolved				
				to be larger in times of food				
	re	egions bu	t occupy different	shortage and smaller in				
	h	abitats		times of abundance.				
IV. Mechanical Isolation	4. F	opulatio	on exist in the					
			gion but are	Reason (R) : The food supply fluctuated				
			-	through time according to				
	S	exually	mature at	weather.				
	d	ifferent ti	imes	(A) Both A and R are true and R is the				
1 11	III	IV		correct explanation				
(A) 1 3	4	2						
	т			(B) Both A and R are true, but R is not				
(B) 3 4	1	2		the correct explanation				
(C) 2 4	1	3		(C) A is true but R is false				
(D) 3 2	1	4		(D) A is false but R is true				

45. Arrange following fossils in a row leading

mammals

I. Pelycosauria

from more like reptiles to more like

A-09-02

Q.No. 47-50

Read the passage below, and answer the questions that follow based on your understanding of the passage.

DNA replication takes place at a 'Y'-shaped structure called a replication fork. A self correcting DNA polymerase enzyme catalyzes nucleotide polymerization in a 5'-to-3' direction, copying a DNA template strand with remarkable fidelity. Since the two strands of a DNA double helix are antiparallel, this 5'-to-3' DNA synthesis can take place continuously on only one of the strands at a replication fork (the leading strand). On the lagging strand, short DNA fragments must be made by a 'backstiching' process. Because the self correcting DNA polymerase cannot start a new chain, these

lagging strand DNA fragments are primed by a short RNA primer molecules that are subsequently erased and replaced with DNA.

DNA replication requires the cooperation of many proteins. These include

- i. DNA polymerase and DNA primase to catalyze nucleotide triphosphate polymerization;
- ii. DNA helicases and single strand DNAbinding (SSB) proteins to help in opening up DNA helix so that it can be copied ;
- iii. DNA ligase and an enzyme that degrades RNA primers to seal together the discontinuously synthesized laggingstrand DNA fragments; and

- iv. DNA topoisomerases to help to relieve helical winding and DNA tangling problems. Many of these proteins associate with each other at a replication fork to form a highly efficient 'replication machine', through which the activities and spatial movements of the individual components are coordinated.
- **47.** Helical winding of DNA is removed by an enzyme
 - (A) DNA polymerase
 - (B) DNA primase
 - (C) DNA helicase
 - (D) DNA topoisomerase
- 48. Discontinually synthesized lagging strand DNA fragments are sealed by which one of the following enzyme ?
 - (A) RNA primase
 - (B) DNA ligase
 - (C) Single strand binding proteins
 - (D) DNA polymerase

- **49.** Which one of the following four statements is <u>incorrect</u> ?
 - (A) Leading strand is synthesized in $5' \rightarrow 3'$ direction
 - (B) Lagging strand is synthesized by 'backstitching' process
 - (C) DNA polymerase can directly synthesize new chain of DNA
 - (D) Antiparallel strands of DNA are separated by helicases
- **50.** Which one of the following four statements is correct ?
 - (A) Leading strands is synthesized in fragments
 - (B) DNA fragments synthesis is initiated by DNA primer
 - (C) Leading and lagging strands are synthesized in different manner because the DNA strands are antiparallel
 - (D) DNA polymerase alone coordinates
 replication of DNA process

LIF	LIFE SCIENCES - PAPER - II						
	(SUBJI	ECT CO	DE- 09)				
Q.No	KEY		Q.No	KEY			
1	C C		26	D			
2	С		27	C D C			
3	Α		28	D			
4	B C		29	С			
5	С		30	В			
6	В		31	Α			
7	Α		32	В			
8	С		33	Α			
9	В		34	C			
10	В		35	D			
11	D		36	Α			
12	Α		37	В			
13	В		38	В			
14	D		39	В			
15	В		40	Α			
16	Α		41	В			
17	В		42	В			
18	В		43	С			
19	С		44	В			
20	Α		45	С			
21	Α		46	Α			
22	D		47	D			
23	В		48	В			
24	С		49	C C			
25	Α		50	С			