Code No: R21026

Time: 3 hours

SET - 1

Max. Marks: 75

II B. Tech I Semester Supplementary Examinations, September - 2014 ELECTRONIC DEVICES AND CIRCUITS

(Com. to EEE, ECE, EIE, ECC, CSE, IT, BME)

Answer any **FIVE** Questions All Questions carry **Equal** Marks

- 1. a) Explain about one dimensional motion of charged particles in electric field.
 - b) Define the term current density and derive the expression for current density of conductor.

(8M+7M)

- 2. a) Describe Hall Effect. Give the applications of it.
 - b) What is meant by intrinsic and extrinsic semiconductors? Explain.

(8M+7M)

- 3. a) Explain operation of PN junction diode when it is connected in reverse bias and forward bias.
 - b) The voltage across silicon diode is 0.7 V when 3mA current flows through it. If the voltage increases to 0.75 V then find the current in silicon diode. (8M+7M)
- 4. a) Define ripple factor and calculate the ripple factor of a half wave rectifier.
 - b) Define rectifier efficiency and derive the expression for rectifier efficiency of full wave rectifier. (8M+7M)
- 5. a) Discuss about transistor current components.
 - b) What is early effect? Explain the effect of early effect on transistor characteristics. (8M+7M)
- 6. a) Give the construction details and characteristics of enhancement mode MOSFET.
 - b) Define the following terms:
 - i) Drain resistance
- ii) Transconductance
- iii) Amplification factor. (8M+7M)
- 7. a) What is meant by transistor biasing? Describe various biasing methods.
 - b) Draw the collector-Base bias circuit and derive the expression for stability factor.

(8M+7M)

- 8. a) Find voltage gain, current gain, input impedance and output impedance of transistor CC amplifier using simplified hybrid model.
 - b) Compare transistor CE, CB and CC amplifiers.

(10M+5M)

Code No: R21026

SET - 2

II B. Tech I Semester Supplementary Examinations, September - 2014 ELECTRONIC DEVICES AND CIRCUITS

(Com. to EEE, ECE, EIE, ECC, CSE, IT, BME)

Time: 3 hours Max. Marks: 75

Answer any **FIVE** Questions All Questions carry **Equal** Marks

- 1. a) Describe the parallel and perpendicular electric and magnetic fields.
 - b) Write the applications of CRO.

(10M+5M)

- 2. a) Explain the following terms:
 - i) Drift current
- ii) Diffusion current
- b) Explain the energy band theory of crystals.

(8M+7M)

- 3. a) Explain the volt ampere characteristics of zener diode and give the applications of it.
 - b) Calculate the reverse saturation current for a silicon PN junction diode which passes a current of 15 mA at 27°C when the forward bias voltage is 680 mV. (8M+7M)
- 4. a) Explain the operation of bridge rectifier with relevant waveforms.
 - b) Derive the expression for ripple factor of a half wave rectifier with L-section filter.

(8M+7M)

- 5. a) Explain the input and output characteristics of transistor in common base configuration.
 - b) Draw the Ebers-Moll model of transistor and explain.

(8M+7M)

- 6. a) Discuss about the operation of depletion mode MOSFET.
 - b) Compare the Bipolar Junction transistor and Field effect transistor.

(10M+5M)

- 7. a) Explain how the stability is improved in self bias circuit.
 - b) Discuss about bias compensation using sensistors.

(8M+7M)

- 8. a) Determine voltage gain, current gain, input impedance and output impedance of transistor amplifier at low frequencies.
 - b) What are the advantages of h-parameters?

(10M + 5M)

Code No: R21026 (R10) (SET - 3)

II B. Tech I Semester Supplementary Examinations, September - 2014 ELECTRONIC DEVICES AND CIRCUITS

(Com. to EEE, ECE, EIE, ECC, CSE, IT, BME)

Time: 3 hours Max. Marks: 75

Answer any **FIVE** Questions All Questions carry **Equal** Marks

- 1. a) Derive the expression for electrostatic deflection sensitivity in cathode ray tube.
 - b) Explain the terms electric field and electric potential. Give the relationship between these two terms. (10M+5M)
- 2. a) Explain the following terms:
 - i) Mobility ii) Conductivity
 - b) a block of silicon is doped with a donor atom density of N_D = $3x10^{14}$ atoms/cm³ and with an acceptor atom density of N_A =0.5x10¹⁴ atoms/cm³. Determine the resultant densities of free electrons and holes. Given intrinsic carrier concentration of silicon is $1.5x10^{10}$ per cm³.

(8M+7M)

- 3. a) Draw and explain about VI characteristics of PN diode.
 - b) Explain the operation of tunnel diode with the help of energy band diagrams. (8M+7M)
- 4. a) Explain how the zener diode works as a regulator.
 - b) Compare the various types of rectifiers.

(8M+7M)

- 5. a) Explain the input and output characteristics of transistor in common emitter configuration.
 - b) Explain how transistor acts as an amplifier.

(10M+5M)

- 6. a) Explain the working of SCR and give the applications.
 - b) What are the advantages of JFET compared to BJT?

(10M+5M)

- 7. a) Explain the self bias circuit and derive the expression for stability factor.
 - b) Draw the circuit diagram for compensation of I_{co} using diode and explain.

(8M+7M)

- 8. a) Explain the determination of h-parameters from transistor characteristics.
 - b) Draw the simple hybrid model of transistor. What are the conditions to use simple hybrid model. (8M+7M)

Code No: R21026

SET - 4

II B. Tech I Semester Supplementary Examinations, September - 2014 ELECTRONIC DEVICES AND CIRCUITS

(Com. to EEE, ECE, EIE, ECC, CSE, IT, BME)

Time: 3 hours Max. Marks: 75

Answer any **FIVE** Questions All Questions carry **Equal** Marks

- 1. a) Discuss about the force on charged particles in magnetic field.
 - b) Compare electrostatic deflection and magneto static deflection.

(8M + 7M)

- 2. a) Discuss about continuity equation.
 - b) Explain the effect of heat on conductors and semiconductors.

(8M+7M)

- 3. a) Discuss about Varactor diode and give the applications.
 - b) A silicon PN junction has reverse saturation current of 30 nA at a temperature of 300 K. Calculate the junction current when the applied voltage is i) 0.7 V forward bias
 - ii) 10 V reverse bias.

(8M + 7M)

- 4. a) Explain the operation of full wave rectifier. Write the merits of it when compared to half wave rectifier.
 - b) Draw the circuit diagram of full wave rectifier with π section filter and explain. (8M+7M)
- 5. a) Discuss about photo transistor and list out the applications.
 - b) Define the terms α and β of transistor. Derive the relationship between these two. (8M+7M)
- 6. a) Explain the drain to source characteristics of JFET.
 - b) Draw the characteristics of UJT and describe various regions.

(8M+7M)

- 7. a) Define the operating point. Explain the various reasons for instability in operating point.
 - b) What is meant by thermal runaway and write the condition to avoid thermal runaway in transistor. (8M+7M)
- 8. Draw the h-parameter model of transistor. Derive the general expressions for voltage gain, current gain, input impedance and output impedance of generalized transistor. (15M)